

Dial g DataStar[options](#)[logout](#)[feedback](#)[help](#)[databases](#)[easy search](#)**Advanced Search: INSPEC - 1969 to date (INZZ)**[limit](#)

Search history:

No.	Database	Search term	Info added since	Results	
1	INZZ	cone ADJ binary ADJ decision	unrestricted	0	-
2	INZZ	binary ADJ decision	unrestricted	2084	show titles
3	INZZ	2 AND verification	unrestricted	609	show titles
4	INZZ	3 AND digital ADJ design	unrestricted	2	show titles

[hide](#) | [delete all search steps...](#) | [delete individual search steps...](#)Enter your search term(s): [Search tips](#) Information added since: or:
(YYYYMMDD)[search](#)

Select special search terms from the following list(s):

- ☐ Classification codes A: Physics, 0-1
- ☐ Classification codes A: Physics, 2-3
- ☐ Classification codes A: Physics, 4-5
- ☐ Classification codes A: Physics, 6
- ☐ Classification codes A: Physics, 7
- ☐ Classification codes A: Physics, 8
- ☐ Classification codes A: Physics, 9
- ☐ Classification codes B: Electrical & Electronics, 0-5
- ☐ Classification codes B: Electrical & Electronics, 6-9
- ☐ Classification codes C: Computer & Control, 0-9
- ☐ Classification codes D: Information Technology, 0-9
- ☐ Treatment codes
- ☐ INSPEC sub-file
- ☐ Publication types

BEST AVAILABLE COPY

	Type	L #	Hits	Search Text	DBs	Time Stamp
1	BRS	L1	1985	(circuit adj design) and verification	USPAT	2004/05/20 10:27
2	BRS	L2	129	(circuit adj design) and (verification.ti.)	USPAT	2004/05/20 10:28
3	BRS	L3	31	(circuit adj design) and (verification.ti.) and reduction	USPAT	2004/05/20 10:30
4	BRS	L4	6	(circuit adj design) and verification and (gate near reduction)	USPAT	2004/05/20 10:31
5	BRS	L5	16	(circuit adj design) and verification and (circuit near reduction)	USPAT	2004/05/20 10:33
6	BRS	L6	6	(circuit adj design) and (design near verification) and (circuit near reduction)	USPAT	2004/05/20 10:39
7	BRS	L7	0	(circuit adj design) and (correction near probes)	USPAT	2004/05/20 10:39
8	BRS	L8	274	(circuit adj design) and (correction and probes)	USPAT	2004/05/20 10:39
9	BRS	L9	0	(circuit adj design) and (correction adj probes)	USPAT	2004/05/20 10:39
10	BRS	L10	42	circuit and (correction adj probes)	USPAT	2004/05/20 10:52
11	BRS	L11	0	cone adj binary adj decision	USPAT	2004/05/20 10:53
12	BRS	L12	0	cone adj binary adj decision	USPAT	2004/05/20 11:12
13	BRS	L13	894	binary adj decision	USPAT	2004/05/20 11:12
14	BRS	L14	21	(binary adj decision) and verification and (digital adj design)	USPAT	2004/05/20 11:21
15	BRS	L20	12	(binary adj decision) and verification and (digital adj design) and debugging	USPAT	2004/05/20 11:22
16	BRS	L21	2	(binary adj decision) and verification and (digital adj design) and debugging and reduction	USPAT	2004/05/20 11:27

BEST AVAILABLE COPY

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	14	EDA and BDD	USPAT; EPO; IBM_TDB	OR	ON	2004/05/20 12:15
L2	60	EDA and (IP same core)	USPAT; EPO; IBM_TDB	OR	ON	2004/05/20 12:25
L3	19	BDD and mask and optimiz\$ and layout and design	USPAT; EPO; IBM_TDB	OR	ON	2004/05/20 12:26

BEST AVAILABLE COPY

	Type	L #	Hits	Search Text	DBs	Time Stamp
1	BRS	L1	158	717/155-156.ccls.	USPAT	2004/05/20 14:14
2	BRS	L2	0	717/155-156.ccls. and optimize and EDA and BDD	USPAT	2004/05/20 14:15
3	BRS	L3	0	717/155-156.ccls. and EDA and BDD	USPAT	2004/05/20 14:15
4	BRS	L4	0	717/155-156.ccls. and optimize and EDA and BDD	USPAT; US-PG PUB	2004/05/20 14:15
5	BRS	L5	18	EDA and BDD	USPAT; US-PG PUB	2004/05/20 14:15
6	BRS	L6	18	EDA and BDD	USPAT; US-PG PUB; IBM_T DB	2004/05/20 15:04
7	BRS	L7	55	ashar.in.	USPAT; US-PG PUB; IBM_T DB	2004/05/20 15:04

BEST AVAILABLE COPY